## **Listing of Claims**

This listing of claims will replace all prior versions, and listings, of claims in the application:

14. (New) An elastomeric article comprising:

a substrate body including a layer made of an elastomeric material, the substrate body including an inside surface and an outside surface; and

a surfactant layer covering the inside surface of the substrate body, the surfactant layer comprising a  $C_{18}$ - $C_{22}$  quaternary ammonium compound and a silicone.

- 15. (New) An elastomeric article as defined in claim 14, wherein the surfactant layer comprises a behentrimonium quaternary ammonium compound.
- 16. (New) An elastomeric article as defined in claim 14, wherein the silicone is a polydimethyl siloxane emulsion.
- 17. (New) An elastomeric article as defined in claim 14, wherein a donning layer is positioned between the substrate body and the surfactant layer.
- 18. (New) An elastomeric article as defined in claim 17, wherein the donning layer comprises syndiotactic 1,2 polybutadiene.
- 19. (New) An elastomeric article as defined in claim 17, wherein the donning layer comprises a mid block unsaturated block copolymer.
- 20. (New) An elastomeric article as defined in claim 17, wherein the donning layer is chlorinated.
- 21. (New) An elastomeric article as defined in claim 14, wherein the elastomeric material of the substrate body is selected from the group consisting of natural rubber latex, nitrile, isoprene rubber, styrene-isoprene-styrene block copolymer, styrene-

polybutadiene-styrene block copolymer, styrene-isoprene block copolymer, styrene-butadiene block copolymer, styrene-ethylene-butylene-styrene block copolymer, and composition blends thereof.

- 22. (New) An elastomeric article as defined in claim 14, wherein the article is dip-formed.
- 23. (New) An elastomeric article as defined in claim 14, wherein the article is a glove.
  - 24. (New) A dip-formed elastomeric glove comprising:

a substrate body including a layer made of an elastomeric material, the substrate body including an inside surface and an outside surface;

a donning layer overlying the inside surface of the substrate body; and
a surfactant layer overlying the donning layer, the surfactant layer comprising a
behentrimonium quaternary ammonium compound and a silicone.

- 25. (New) A dip-formed elastomeric glove as defined in claim 24, wherein the silicone is a polydimethyl siloxane emulsion.
- 26. (New) A dip-formed elastomeric glove as defined in claim 24, wherein the donning layer is chlorinated.
- 27. (New) A dip-formed elastomeric glove as defined in claim 24, wherein the elastomeric material of the substrate body is selected from the group consisting of natural rubber latex, nitrile, isoprene rubber, styrene-isoprene-styrene block copolymer, styrene-polybutadiene-styrene block copolymer, styrene-isoprene block copolymer, styrene-butadiene block copolymer, styrene-ethylene-butylene-styrene block copolymer, and composition blends thereof.

28. (New) A method for forming a glove comprising:

dipping a glove-shaped former into an elastomeric material to form a substrate body including a layer made of the elastomeric material, the substrate body including an inside surface and an outside surface; and

applying a surfactant layer over the inside surface of the substrate body, the surfactant layer comprising a  $C_{18}$ - $C_{22}$  quaternary ammonium compound and a silicone.

- 29. (New) A method as defined in claim 28, wherein the surfactant layer comprises a behentrimonium quaternary ammonium compound.
- 30. (New) A method as defined in claim 28, wherein the silicone is a polydimethyl siloxane emulsion.
- 31. (New) A method as defined in claim 28, further comprising applying a donning layer over the inside surface of the substrate body so that the donning layer is positioned between the substrate body and the surfactant layer.
- 32. (New) A method as defined in claim 31, further comprising chlorinating the donning layer.
- 33. (New) A method as defined in claim 28, wherein the elastomeric material of the substrate body is selected from the group consisting of natural rubber latex, nitrile, isoprene rubber, styrene-isoprene-styrene block copolymer, styrene-polybutadiene-styrene block copolymer, styrene-butadiene block copolymer, styrene-ethylene-butylene-styrene block copolymer, and composition blends thereof.